


P R E F I T

FITTINGS FOR GLASS



	Paravoids to assemble panels of 927. dia. 30 mm for 4 mm thickness and dia. 33 mm for 5 mm thickness								
A	chromed	chrome	nick chrome	white	crystal	gold	black	grey	
A	4 mm	645 101	645 056	645 154	645 092 645 028	645 170	645 206	645 214	
A	5 mm								
	Half sphere, one flat surface. For tempered glass or other materials 4 mm thick.								
	chrome	nick chrome	white	crystal	gold	black	grey		
	645 361	645 121	645 131	645 075	645 196	645 221	645 238		
B	Both sides for tempered glass or other materials 4 mm thick.								
	chrome	nick chrome	white	crystal	gold	black	grey		
	645 274	645 311	645 430	645 011	645 324	645 451	645 471		
	Eight spheres for tempered glass or other materials 4 mm thick.								
	chrome	nick chrome	white	crystal	gold	black	grey		
	645 372	645 220	645 404	645 034	645 338	645 464	645 484	645 484	
	Chromium-plated balls with half-spheres. Incomplete backing on 4 mm spheres.								
									645 141


Section 6

MODULAR SHOWCASE BALLS

2007

TOOLS & SHOPFITTING ACCESSORIES



www.prefit-fittings.com



With these 9-notch spheres, it is possible to build up modular units, in tempered glass or other materials.

		120° vitrine balls, dia. 30 mm, to assemble 4 mm thick panels at 120°.					
	- A -	chrome 645 24L	mat chrome 645 49N	crystal 645 61A	gold-plated 645 27P	black 645 04P	grey 645 57W
		Half-sphere, one flat surface, for glass 4 mm thick.					
	- B -	chrome 645 25M	mat chrome 645 50P	crystal 645 62B	gold-plated 645 30S	black 645 18D	grey 645 58X

Requisite for Vitrine Balls - 645c



	- C -	Hard rubber headed assembly mallet ; weight : 150 grammes.	
			645 40C
	- D -	Set of upper and lower, transparent plastic slides, self-adhesive backing, for 4 or 5 thick sliding glass panels ; length : 1.25 m. Glass height = internal height - 7 mm. Theoretical glass width = (bay width + 40 mm) x 1/2.	
		set of 2	645 34W
	- E -	Transparent plastic slides, self-adhesive backing, for vertical separation 5 mm thick maxi ; length : 1.25 m.	
		set of 2	645 35X
	-	Stickers for half-spheres.	
			645 08T
	- F -	Suction cups for securing the upper plate of a sphere showcase.	
			645 29R



Distributors of Architectural Ironmongery
to the Shopfitting Glass and Allied Trades

www.prefit-fittings.com

P R E F I T

14 Sovereign Park, Coronation Road
London NW10 7QP
Tel: 020 8961 4777 Fax: 020 8961 4747
Email: sales@prefit-fittings.com
www.prefit-fittings.com



LRQ 0964 799