


Clip-on Locks

Technical features

- Requires no notch, except ref V529 and V539
- Fixing on edge of door, minimum space 4 mm
- Bolt can be blocked in the projecting or retracted position
- For 8, 10 and 12 mm thick toughened glass
- Supplied with flat keep (2 keys for ref 1448)

1445



References



Clip on lock with notch



Polished brass

1445.00.0



Bright chromium


1445.30.0



Matt chromium


1445.31.0

1446



References

Clip on lock with pull catch




1446.00.0 **1446.05.0** **1446.30.0** **1446.31.0** **1446.35.0** **1446.51.0**



1446.00.5 **1446.05.5** **1446.30.5** **1446.31.5** **1446.35.5** **1446.51.5**


1448



References





Clip on lock with cylinder



1448.00.0 **1448.30.0** **1448.31.0**

V529



References



Thumb turn lock with notch



Polished varnished brass



Brushed anodised alu silver



Bright chromium



Brushed matt chromium



Brushed anodised alu.

V529.01


V529.12

V529.30

V529.33

V529.36

1447



References



Matching patch keep for clip on lock series 1445/1448



Polished brass



Bright chromium




Matt chromium

1447.00.0

1447.30.0

1447.31.0

1449



References



Matching patch keep for clip on lock series 1446



Polished brass

1449.00.0



Polished brass PVD

1449.05.0



Bright chromium

1449.30.0



Matt chromium

1449.31.0



Stainless steel effect





1449.35.0



Lacquered white RAL 9010

1449.51.0

V539



References



Matching patch keep for lock V529 with notch



Polished varnished brass

V539.01



Brushed anodised alu silver

V539.12



Bright chromium

V539.30



Brushed matt chromium

V539.33



Brushed anodised alu.

V539.36