


## Cilindric - Pivoting Doors

### Cilindric Cameleo

**Technical features**

- Dimensions  $\varnothing$  55 mm height 75 mm.
- For 8, 10 and 12 mm thick glass
- Assembly on notch
- Compatible with:
  - Hydraulic floor spring
  - Pivot

CM500D



**References**



Bottom patch fitting German insert



Bright chromium

CM500D.30



Stainless steel effect

CM500D.35




Gold plated

CM500D.40

- Supplied without cover CM400

CM500I



**References**



Bottom patch fitting Italian insert



Bright chromium

CM500I.30



Stainless steel effect

CM500I.35





Gold plated

CM500I.40

- Supplied without cover CM400

## CM501



References

Top patch fitting



Bright chromium

CM501.30



Stainless steel effect

CM501.35




Gold plated

CM501.40

• Supplied without cover CM400

## C502



References



Top pivot, fixing lintel or ceiling



Brushed stainless steel

C502.15

## CM511



References

Transom panel patch with pivot



Bright chromium

CM511.30



Stainless steel effect

CM511.35



Gold plated


CM511.40

• Supplied without cover CM400

### CM528



References



Wall to glass patch for fixed panel



Bright chromium

CM528.30



Stainless steel effect

CM528.35



Gold plated

CM528.40

• Supplied without cover CM400

### CM400



CM400.15



CM400.70



CM400.71



CM400.72



CM400.73



CM400.74

References

Pair of covers for the items CM500/501/511/528



Brushed stainless steel

CM400.15



Walnut

CM400.70



Black carbon

CM400.71



Beech

CM400.72



Metallic silver

CM400.73



Black matt

CM400.74

### CM401



References



Brushed stainless steel




CM401.15

Pair of covers for CM500/501/511/528

*Locks and  
patch fittings*



### CM581



References

Connector for 2 fixed panels single rounded model with CM481



Bright chromium



Stainless steel effect






Gold plated

CM581.30

CM581.35

CM581.40

### CM582



References

Connector for 2 fixed panels '8' shape with CM482



Bright chromium



Stainless steel effect






Gold plated

CM582.30

CM582.35

CM582.40

### CM583



References

Connector for 3 fixed panels with CM483



Bright chromium



Stainless steel effect






Gold plated

CM583.30

CM583.35

CM583.40

### CM584



References

Connector for 3 fixed panels with CM484



Bright chromium



Stainless steel effect




Gold plated

CM584.30

CM584.35

CM584.40

## CM481



References

Walnut Black carbon Beech Metallic silver Black matt

Set of 2 covers for CM581

CM481.70 CM481.71 CM481.72 CM481.73 CM481.74

## CM482



References

Walnut Black carbon Beech Metallic silver Black matt

Set of 4 covers for CM582

CM482.70 CM482.71 CM482.72 CM482.73 CM482.74

## CM483




References

Walnut Black carbon Beech Metallic silver Black matt

Set of 6 covers for CM583

CM483.70 CM483.71 CM483.72 CM483.73 CM483.74

## CM484



References

Walnut Black carbon Beech Metallic silver Black matt

Set of 8 covers for CM584




CM484.70 CM484.71 CM484.72 CM484.73 CM484.74

## Cilindric®

**Technical features**

- Dimensions  $\varnothing$  55 mm height 75 mm
- Stainless steel AISI 316
- For 8, 10 and 12 mm thick glass
- Assembly on notch
- Maximum door weight 100 kg

### C500D



**References**






Brushed stainless steel

**C500D.15**

Bottom patch fitting German insert

### C500I



**References**




Brushed stainless steel



**C500I.15**

Bottom patch fitting Italian insert

C501



Ø:55mm  
height:75mm



Top patch fitting


References



Brushed stainless steel

C501.15

C502



References




Brushed stainless steel



C502.15

Top pivot, fixing lintel or ceiling

C511



Ø:55mm  
height:75mm



Transom panel patch with pivot


References




Brushed stainless steel

C511.15

### C528A



Ø:55mm  
height:75mm



References


Wall to glass patch for transom or fixed panel




Brushed stainless steel

C528A.15

### C528B



Ø:55mm  
height:35mm



References

Cilindric wall to glass patch for transom or fixed panel height 35 mm



Brushed stainless steel




C528B.15

### CT05.99



Tightening wrench for C581, C582, C583, C584 et CM581, CM582, CM583, CM584 items

### C581



References




Connector for 2 fixed panels single rounded model



Brushed stainless steel

C581.15

### C582



References




Connector for 2 fixed panels '8' shape



Brushed stainless steel

C582.15

### C583



References




Connector for 3 fixed panels



Brushed stainless steel

C583.15

### C584



References





Connector for 4 fixed panels



Brushed stainless steel

C584.15

**C222L**







References

Lock on left outside edge of glass, supplied without cylinder and flat keep

Brushed stainless steel

**C222L.15**

**C222R**








References

Lock on right outside edge of glass, supplied without cylinder and flat keep

Brushed stainless steel

**C222R.15**

**C223L**







References

Pacth keep on left side edge of fixed panel

Brushed stainless steel

**C223L.15**

**C223R**





References

Pacth keep on right side edge of fixed panel

Brushed stainless steel

**C223R.15**

### C517



References






Brushed stainless steel

**C517.15**

Lock with key without flat keep

### C529



References






Brushed stainless steel

**C529.15**

Foot operated lock without flat keep

### C539



References



Brushed stainless steel

**C539.15**

Patht keep for C529

### C600PG22




References



Brushed stainless steel

**C600PG22.15**

Handle 45 Ø mm with 2 point lock on one side, height max : 2200 mm



### C600PG30




References



Brushed stainless steel

**C600PG30.15**

Handle 45 Ø mm with 2 point lock on one side, height max between 2200 mm and 3000 mm



### C601PG22




References




Brushed stainless steel

**C601PG22.15**

Handle 45 Ø mm height max 2200 mm




### C601PG30




Handle 45 Ø mm, height max between 2200 mm and 3000 mm



**C601PG30.15**




### C6001/2PG




Handle 45 Ø mm with point lock on one side, fixed height : 2200 mm



**C6001/2PG.15**




### C602PG



Handle 45 Ø mm with 2 point lock, entry by key from inside and outside, height max between 2200 mm and 3000 mm



**C602PG.15**



Glass hole 16 mm Ø / Cylindre passage hole 35 mm Ø

C532



References


Keep plate for C600-C602



Brushed stainless steel

C532.15

C541



References


Tubular keep bottom bolt for C600-C602-C600 1 / 2



Brushed stainless steel

C541.15

C603PG



References



Transom patch keep for C600-C602



Brushed stainless steel

C603PG.15