



# PREFIT

FITTINGS FOR GLASS

## Shopfitting - Money Hatches & Speak Holes




## 651 - Money Hatch




Money Hatch Dimensions

	External dimensions (mm)			Flush mount dimensions (mm)		
	P	L	H	P	L	H
- B -	426	426	66	413	413	65
- C -	316	295	43	297	277	43
- D -	440	440	45	425	425	45
- E -	631	430	148	580	410	146



- A -	Rotary money hatch in natural shade anodized light alloy, mounted on ball bearings, with locking system.	651 19H
- B -	Armoured money hatch, natural shade and black PVC anodized aluminium lining, with mobile shutter preventing introduction of a small arm, for A4 format, with side acoustic boxes improving phonic transmission.	651 00M
- C - - D -	Armoured money hatch natural shade and black PVC anodized aluminium lining, for A4 and A3 formats ; references : Post Office and Treasury. small model (A4) large model (A3)	651 08V 651 05S
- E -	Armoured money hatch, lockable, natural shade and black PVC lining, with double drawer for transferring bags, boxes etc. Upper drawer mounted on telescopic slides.	651 06T

## Speak Holes - 652a



		Perforated altuglas speak hole in anodized light alloy frame, $\varnothing$ 230 mm for glass 6 mm thick, drilled hole $\varnothing$ 220 mm.	
- A -		Supervox with sealing membrane	silver 652 50Z
-		assembly screws for 10 mm thick glass	652 56G
		<b>ADLER</b> <sup>®</sup> brass spacer-clips for securing a glass disk thickness 6 to 8.8 mm on a glass thickness 6 to 14 mm (speak hole), without drilling.	
			chrome 652 58J
- B -			brass 652 59K