



Farfalla - Shower Door Hinges for 6, 8 & 10 mm Glass

glass systems for indoor use




■ shower door hinge Farfalla



glass systems for indoor use




product advantages Farfalla

- door hinge opens outwards or inwards on one side
- wide range of fittings for over 50 installation situations
- all wall connectors come with cover plates, therefore there are no visible screws on any wall connectors
- simple assembly thanks to the oblong-hole screw connection
- magnetic sealing is used to keep the door closed.
- load-bearing capacity (2 hinges): 40 kg corresponds to a glass door of 1000 x 2000 mm with a glass thickness of 8 mm
- the hinge axis is positioned outside of the glass door so that the glass segments can also be folded completely.
- all installation situations are tested according to DIN EN 14428
- minimal glass work (only glass boreholes required)






glass systems for indoor use




■ shower door hinge Farfalla



item no.: 8128ZN	
shower door hinge glass-wall 90°	
opening outwards	90°
glass thickness:	6 / 8 / 10 mm
Material:	ZAMAK®




item no.: 8120ZN	
shower door hinge glass-wall 90°	
opening inwards	90°
glass thickness:	6 / 8 / 10 mm
Material:	ZAMAK®





item no.: 8122ZN	
shower door hinge glass-glass 180°	
opening outwards	180°
glass thickness:	6 / 8 / 10 mm
Material:	ZAMAK®

ST = side panel TF = door leaf W = wall






glass systems for indoor use

■ shower door hinge Farfalla





ZN1 ZN5 ZNPVD22

item no.: 8124ZN (180°)	
shower door hinge glass-glass 180°	
opening inwards	180°
glass thickness:	6 / 8 / 10 mm
Material:	ZAMAK®



ZN1 ZN5 ZNPVD22


item no.: 8126ZN	
shower door hinge glass-glass 135°	
opening outwards	200°
glass thickness:	6 / 8 / 10 mm
Material:	ZAMAK®



ZN1 ZN5 ZNPVD22



item no.: 8124ZN (90°)	
shower door hinge glass-Glas 90°	
opening inwards	90°
glass thickness:	6 / 8 / 10 mm
Material:	ZAMAK®

ST = side panel TF = door leaf W = wall



glass systems for indoor use

 corner brackets for Farfalla and Pillango



ZN1

ZN5


ZNPVD22

item no.: 8106ZN
corner bracket glass-wall 90°


adjustment along the oblong hole with cover plate

glass thickness: 6 / 8 / 10 mm

Material: ZAMAK®



S* = Schraubenseite | screw side



ZN1

ZN5



ZNPVD22

item no.: 8110ZN
longitudinal connector glass-wall 180°

adjustment along the oblong hole with cover plate

glass thickness: 6 / 8 / 10 mm

Material: ZAMAK®



ZN1

ZN5

ZNPVD22

item no.: 8108ZN
corner bracket glass-glass 90°

glass thickness: 6 / 8 / 10 mm

Material: ZAMAK®

