


## Flamea - Shower Swing Door Hinge





*shower swing door hinge for glass showers*






### Flamea

- double-sided opening 90°
- zero position infinitely adjustable
- automatic closing in the final centimetres
- optimised for installations without sealing profiles
- glass thickness: 6, 8 and 10 mm.
- maximum panel size: 1000 mm x 2000 mm in the case of 8-mm glass
- load-bearing capacity (2 hinges): 40kg  
40 kg corresponds to a glass door leaf of 800 x 2000 mm with a glass thickness of 10 mm
- long-hole adjustment in the wall mount







article no.	finishes	glass thickness	article name	features
8180	ZN5 ZN1 ZNPVD22	6/8/10 mm	Shower swing door hinge, glass-wall, 90°	double sided opening 90°, with adjustable self-center, one sided mounting plate




article no.	finishes	glass thickness	article name	features
8182	ZN5 ZN1 ZNPVD22	6/8/10 mm	Shower swing door hinge, glass-glass, 180°	double sided opening 90°, with adjustable self-center



article-no.	finishes	glass thickness	article name	features
8170	ZN5 ZN1 ZNPVD22	6/8/10 mm	corner bracket, glass-wall, 90°	adjustable along the oblong hole comes with cover plate



article-no.	finishes	glass thickness	article name	features
8174	ZN5 ZN1 ZNPVD22	6/8/10 mm	inline connector, glass-wall, 180°	adjustable along the oblong hole comes with cover plate



article-no.	finishes	glass thickness	article name	features
8172	ZN5 ZN1 ZNPVD22	6/8/10 mm	corner bracket, glass-glass, 90°	-