

Pontere - Shower Door Swing Hinges for 8 & 10 mm Glass






glass systems for indoor use



product advantages

- wide range of fittings for different installation situations
- central pivot, can therefore be used as a swing door
- all wall connectors come with cover plates, therefore there are no visible screws on any wall connectors
- simple assembly thanks to the long-hole screw connection
- fittings adjustable in the zero position
- adjustable angle for the corner brackets
- therefore, easy assembly even if walls are not at a right angle to one another
- load-bearing capacity (2 hinges): 50 kg corresponds to a glass door leaf of 1000 x 2000 mm with a glass thickness of 10 mm
- all installation situations have been tested according to DIN EN 14428



glass systems for indoor use



shower swing door hinge Pontere



MS7 MS10 MSPVD22

item no.: 8406MS



shower swing door hinge glass-wall 90°
 double-sided opening 90°
 glass thickness: 8 / 10 mm
 Material: Messing | brass / ZAMAK®



MS7 MS10 MSPVD22

item no.: 8408MS

shower swing door hinge glass-wall 90°
 double-sided opening 90°
 glass thickness: 8 / 10 mm
 Material: Messing | brass / ZAMAK®



MS7 MS10 MSPVD22

item no.: 8404MS

shower swing door hinge glass-wall 90°
 double-sided opening 90°
 glass thickness: 8 / 10 mm
 Material: Messing | brass / ZAMAK®





*Glass processing only valid if the specified sealing profile is used.

ST = side panel TF = door leaf W = wall



glass systems for indoor use

shower swing door hinge Pontere



MS7



MS10





MSPVD22

item no.: 8412MS

shower swing door hinge glass-wall 180°

glass thickness: 8 / 10 mm

Material: Messing | brass / ZAMAK®



MS7



MS10



MSPVD22

item no.: 8414MS

shower swing door hinge glass-wall 135°

double-sided opening 90°

glass thickness: 8 / 10 mm

Material: Messing | brass / ZAMAK®

*Glass processing only valid if the specified sealing profile is used.

ST = side panel



TF = door leaf

W = wall

glass systems for indoor use





shower swing door hinge Pontere





MS7 MS10 MSPVD22

item no.:	8400MS
shower swing door hinge glass-glass 180°	
double-sided opening	90°
glass thickness:	8 / 10 mm
Material:	Messing brass / ZAMAK®



MS7 MS10 MSPVD22

item no.:	8402MS
shower swing door hinge glass-glass 135°	
double-sided opening	90°
glass thickness:	8 / 10 mm
Material:	Messing brass / ZAMAK®



MS7 MS10 MSPVD22

item no.:	8410MS
shower swing door hinge glass-glass 90°	
double-sided opening	90°
glass thickness:	8 / 10 mm
Material:	Messing brass / ZAMAK®

*Glass processing only valid if the specified sealing profile is used.

ST = side panel TF = door leaf W = wall